



STIMULUS LEVELS (dBSPL) 60/50 to 70/70 (6 Presets) PASS CRITERIA 2, 3, 4 Bands PASS SNR 6dB (Fixed)

Otoport Lite DP

Ideal Paediatric & Newborn screener

The Otoport Lite DP is an easy and simple to use handheld DPOAE system with an intuitive interface for both paediatric and newborn hearing screening. Fast, accurate and automatic pass/refer result with low-cost consumables and long battery life, all make the Otoport Lite DP the ideal way to screen with DPOAEs. The Otoport Lite is also available as TEOAE only model.

Click here to read more.

KEY FEATURES

- Rapid DPOAE screening mode
- SNR test progress display
- Easy-to-use pass/refer result
- Create multiple Users with Admin management and security
- Programmable Work List
- Probe test function and ID tracking







Clear Pass/Refer result

DP OAE	TEST C	ONFIGURABILITY	1 Protocol, 7 Parameters
	FREQU	ENCY RANGE	2, 3, 4, 6 kHz
	FREQ. F	RESOLUTION	1/2 octave
	FREQU	ENCY RATIO	1.22
	STIMUL	.US LEVELS (dBSPL)	60/50 to 70/70 (6 Presets)
	PASS C	RITERIA	2, 3, 4 Bands
	PASS S	NR	1 to 10dB per band (∆1dB)



Designed for the clinic and screening applications, the Otoport Flexi handheld OAE instrument can meet your needs. It's easy to switch between analytical clinical modes and screening modes. Click here to read more.

KEY FEATURES

- DPgram line & Signal to noise histogram display
 - Data Table display
- One key select Clinical/Screening protocol (unique to Otoport Flexi)
 - Linked test macro function
 - TEOAE Waveform
 - Paediatric distraction display
 - Plus Otoport Lite features



POWERFUL ANALYSIS Clinical level DPOAE & TEOAE

Otoport

<u> </u>	TEST CONFIGURABILITY	6 Protocols, 11 Parameters
OAE	FREQUENCY RANGE	1 to 8 kHz, 12 Frequencies
_	FREQ. RESOLUTION	Up to 4 pts/octave
\	FREQUENCY RATIO	1.22
	STIMULUS LEVELS (dBSPL)	60/50 to 70/70 (6 Presets)
	PASS CRITERIA	3 Parameters
	PASS SNR	1 to 10dB per band (Δ1dB)

E	TEST CONFIGURABILITY	2 Protocols, 10 Parameters
OAE/	FREQUENCY RANGE	1, 1.5, 2, 3, 4kHz
벁	FREQ. RESOLUTION	1/2 Octave bandwidth
	STIMULUS LEVELS (dBSPLp	be) 60 to 84 (Δ1db)
	PASS CRITERIA	2, 3, or 4 1/2 octave, wide or narrow bands to pass
	PASS SNR	6dB (Fixed)

Specialising in Gold Standard Otoacoustic Emissions and Auditory Brainstem Response technology, with its comprehensive range of OAE instruments with AABR technology, Otodynamics is the first choice for the professional.


Founded in 1988 by the discoverer of Otoacoustic emissions, Professor David T Kemp FRS.
Otodynamics was the first OAE company.

Renowned for QUALITY, RELIABILITY and PERFORMANCE, Otodynamics is recognised globally by its customers as the industry standard.



When you buy from Otodynamics you can be confident of a Gold Standard product, trusted results and first-class support.





The Otoport is ideal for screening children for OAEs.

Our NEW Paediatric feature provides colourful animated distraction images, encouraging children to remain still and quiet during testing. The cartoons become more and more colourful when the child is quiet and fade when there is noise or movement.









PAEDIATRIC FRIENDLY
Distraction animated display



RAPID
Paediatric mode



FAST
Easy to use
Clear Pass/Refer result





Otodynamics Ltd.

30-38 Beaconsfield Road Hatfield Herts AL10 8BB UK τ. +44 (0)1707 267540 ε. info@otodynamics.com www.otodynamics.com