





Otocheck LE

Simple Pediatric & Newborn screener

The Otocheck LE is an economical handheld OAE hearing screening instrument, designed for simplicity, Speed and applications that do not require the recording of patient details. The Otocheck LE is also available as TEOAE only model.

(Otodynamics

DPOAE TEST

Otocheck

RIGHT

C

ONE PRESS & GO

Click here to read more.

KEY FEATURES

- Rapid DPOAE screening
- 1 key press and go operation
- SNR & Signal to noise histogram display
- Pediatric distraction display
- Individual frequency progress display
- Easy-to-use pass/refer result
- Minimal training required

DP OAE	TEST CONFIGURABILITY	1 Protocol, 2 Parameters
	FREQUENCY RANGE	2, 3, 4, 6 kHz
	FREQ. RESOLUTION	1/2 octave
	FREQUENCY RATIO	1.22
	STIMULUS LEVELS (dBSPL)	60/50 to 70/70 (6 Presets)
	PASS CRITERIA	2, 3, 4 Bands
	PASS SNR	6dB (Fixed)

CPT Codes: 92587, 92558

Otocheck

Ideal Pediatric & Newborn screener

The Otocheck DP is an easy and simple to use handheld DPOAE system with an intuitive interface for both pediatric and newborn hearing screening. Fast, accurate and automatic pass/refer result with low cost consumables and long battery life all make the Otocheck DP the ideal way to screen with DPOAEs.

Click here to read more.


KEY FEATURES

- Rapid DPOAE screening mode
- SNR test progress display
- Easy-to-use pass/refer result
- Create multiple users with Admin management and security
- Programmable worklist
- Probe test function and ID tracking

	RAPID Pediatric mode	FAST Easy to use Clear Pass/Refer result
	TEST CONFIGURABILITY	1 Protocol, 7 Parameters
OAE	FREQUENCY RANGE	2, 3, 4, 6 kHz
DP [FREQ. RESOLUTION	1/2 octave
No.	FREQUENCY RATIO	1.22
	STIMULUS LEVELS (dBSPL)	60/50 to 70/70 (6 Presets)
	PASS CRITERIA	2, 3, 4 Bands
	PASS SNR	1 to 10dB per band (∆1dB)





.





Otocheck







Otoport

xactly what's needed for Clinical 0/

igned for the clinic and screening applications, the Otoport DP Clinical handheld OAE instrument can meet your needs. It's easy to switch between analytical clinical modes and screening modes. <u>Click here to read more.</u>

KEY FEATURES

DPgram line & Signal to noise histogram display
 Data Table display
 One key select Clinical/Screening protocol (unique to DP Clinical)

- Linked test macro function
 TEOAE Waveform
- Pediatric distraction display
- Plus Otocheck features

	TEST CONFIGURABILITY
	FREQUENCY RANGE
	FREQ. RESOLUTION
	FREQUENCY RATIO
	STIMULUS LEVELS (dBSPL)
	PASS CRITERIA
	PASS SNR

DP OAE/

POWERFUL ANALYSIS Clinical level

DPOAE & TEOAE

6 Protocols, 11 Parameters
1 to 8 kHz, 12 Frequencies
Up to 4 pts/octave
1.22
60/50 to 70/70 (6 Presets)
3 Parameters
1 to 10dB per band (∆1dB)

OAE	TEST CONFIGURABILITY	2 Protocols, 10 Parameters
	FREQUENCY RANGE	1, 1.5, 2, 3, 4kHz
끹	FREQ. RESOLUTION	1/2 Octave bandwidth
	STIMULUS LEVELS (dBSPL)	60 to 84 (∆1db)
DPTIONAL	PASS CRITERIA	2, 3, or 4 1/2 octave, wide or narrow bands to pass
OP.	PASS SNR	6dB (Fixed)

CPT Codes: 92588, 92587, 92558 (92650 with ABR option)

Specializing in gold standard otoacoustic emissions and Auditory Brainstem Response technology. With its comprehensive range of OAE instruments with AABR technology Otodynamics is the first choice for the professional.

Founded in 1988 by the discoverer of Otoacoustic emissions, Professor David T Kemp FRS. Otodynamics was the first OAE company.

Renowned for QUALITY, RELIABILITY and PERFORMANCE, Otodynamics is recognized globally by its customers as the industry standard.




When you buy from Otodynamics you can be confident of a Gold Standard product, trusted results and first-class support.

Distraction display

The Otocheck is highly effective with children, the visual distraction displays provide 6 animations, engaging the child, helping to keep them quiet and still. The animation gradually fills with color if the child is quiet but color fades when child is noisy.









PEDIATRIC FRIENDLY Distraction animated display



RAPID Pediatric mode





FAST Easy to use Clear Pass/Refer result





Otodynamics Ltd.

30-38 Beaconsfield Road Hatfield Herts AL10 8BB UK т. 1-800-659-7776 е. info@otodynamics.com www.otodynamics.com

Ref: F-008-15USA rev002